2021 CERTIFICATION

Consumer Confidence Report (CCR)

PRINT Public Water System Name

D820029, 0820030, 0820031, 0820

VS ID #s for all Community Water Systems included in this

COR DICTRIBUTION (OI			
CCR DISTRIBUTION (Ch			D. 175 1001150
INDIRECT DELIVERY METHODS (Attach copy of publication	i, water bill or	otner)	DATE ISSUED
Advertisement in local paper (Attach copy of advertisement)			4/27/2022
□ On water bill (Attach copy of bill)			
□ Email message (Email the message to the address below)			
□ Other (Describe:			
			_)
DIRECT DELIVERY METHOD (Attach copy of publication, wa	ater bill or oth	er)	DATE ISSUED
□ Distributed via U.S. Postal Service			
□ Distributed via E-mail as a URL (Provide direct URL):			
□ Distributed via Email as an attachment			
□ Distributed via Email as text within the body of email messa	ige		
	roof of publication	on)	4/27/2027
□ Posted in public places (attach list of locations or list here)			
Destad pulling at the falls 1 Identify			
Posted online at the following address (Provide direct URL): www.centralyazoowater.co	m		1001000
			5/5/2022
I hereby certify that the Consumer Confidence Report (CCR) has been the appropriate distribution method(s) based on population served. is correct and consistent with the water quality monitoring data for sof Federal Regulations (CFR) Title 40, Part 141.151 – 155.	een prepared a Furthermore, I sampling perfor	certify that the information	on contained in the report
Name	Title	J. G.	Date
SUBMISSION OPTIONS	(Select one mei	thod ONLY)	
You must email or mail a copy of the CCR. Certificat	tion, and as	sociated proof of de	elivery method(s) to
the MSDH, Bureau of F			

Mail: (U.S. Postal Service)

MSDH, Bureau of Public Water Supply

P.O. Box 1700 Jackson, MS 39215 Email: water reports@msdh.ms.gov

2021 Annual Drinking Water Quality Report Central Yazoo Water Association, Inc. RECEIVED PWS#: 0820004, 0820029, 0820030, 0820031 & 082003 SDH-WATER SUPPLY

April 2022

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality 25 and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Sparta Sand and the Meridian Upper Wilcox Aquifer.

If you have any questions about this report or concerning your water utility, please contact Mike Laborde at 662.746.7531. We want our valued customers to be informed about their water utility. If you want to learn more, please attend the regular meetings scheduled for the second Monday of each month at 5:00 PM at the main office located at 37 Witherspoon Road, Yazoo City, MS 39194.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Central Yazoo Water Association, Inc. have received lower to moderate susceptibility rankings to contamination.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2021. In cases where monitoring wasn't required in 2021, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife: inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS#:082	0004			TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium	N	2020*	.0075	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2020*	2.7	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2018/20*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

16. Fluoride	N	2019*	6.11	.103 – 6.11	ppm		4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20	* 1	0	ppb		0 /	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	75000	74000 - 75000	ppb		0	0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfectio	n By-l	Product	s						
81. HAA5	N	2017*	14	No Range	ppb	0			/-Product of drinking water sinfection.
82. TTHM [Total trihalomethanes]	N	2019*	16.8	No Range	ppb	Q			/-product of drinking water llorination.
Chlorine	N	2021	1.3	1 – 1.8	mg/l	0	MDRL =		ater additive used to control icrobes

^{*} Most recent sample. No sample required for 2021

PWS#:0820	0029			TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Inorganic (Contam	inants						
10. Barium	N	2019*	.038	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2019*	.8	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2018/20*	.2	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2019*	.558	No Range	ppm	4	4	Erosion of natural deposits; wate additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20*	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	78000	No Range	ppb	0	0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfection	n By-Pr	oducts						
81. HAA5	N	2016*	6	No Range	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2016*	7.7	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2021	1.4	.8 – 2	mg/l	0	MDRL = 4	Water additive used to control microbes

* Most recent sample. No sample required for 2021.

PWS#:0820	030			TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Inorganic C	Contam	inants						
10. Barium	N	2021	.0013	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits

14. Copper	N	2018/20*	4 1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2021	.124	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20*	0	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	110000	82000 - 110000	ppb	0	0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfection	ı By-P	roducts					1	
81. HAA5	N	2021	46.9	No Range	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2021	60	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2021	1.4	.7 – 1.8	mg/l	0	MDRL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2021,

PWS#:0820	0031			TEST RES	ULTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detect or # of Sample: Exceeding MCL/ACL		МС	LG	MCL	Likely Source of Contamination
Inorganic (Contan	inants							
10. Barium	N	2019*	.012	No Range	ppm		2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2019*	4.1	No Range	ppb		100	10	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2018/20*	.8	0	ppm		1.3	AL=1	 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2019*	1.12	No Range	ppm		4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20*	1	0	ppb		0	AL=	15 Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	250000	No Range	ppb		0		Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfection	n By-Pi	roducts							
81. HAA5			91*	No Range	ppb	0		60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2017*	117*	No Range	ppb	0		80	By-product of drinking water chlorination.
Chlorine	N	2021	1.5	1 – 2	mg/l	0	MDF	RL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2021

PWS#:082	20033		r	ΓEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination

Inorganic	Conta	minants						
10. Barium	N	2019*	.0142	No Range	ppm		2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2019*	33.1	No Range	ppb	100	10	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2018/20*	.2	0	ppm	1.3	3 AL=1.	 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2018/20*	2	0	ppb		AL=1	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	73000	No Range	ppb		0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfection	on By-l	Products	Alli	1)**				
Chlorine	N	2021	1.4	.6 - 2	mg/l	0 M	DRL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2021.

Disinfection By-Products:

We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

Central Yazoo Water Association (PWS ID 0820004, 0820029, 0820030, 0820031, 0820033), no longer adds fluoride to the drinking water system. Consult with your dentist, regarding this change with your water supply. They may propose additional supplements and suggest different treatment schedules. If you have children (starting at 6 months of age), their dentist may have alternative treatment suggestion to ensure the proper development of teeth as they grow. Be sure to talk to your dentist about in-office fluoride applications or dietary supplements. These necessary treatments may come at an increase cost.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Central Yazoo Water Association, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

⁽⁸¹⁾ Haloacetic Acids (HAA5). Some people who drink water containing bromate in excess of the MCL over many years may have an increased risk of cancer

⁽⁸²⁾ Total Trihalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

PROOF OF PUBLICATION OF NOTICE The State of Mississippi

County of YAZOO

Personally appeared before me, the undersigned Notary Public in and for the County and State aforesaid JAMIE PATTERSON, who being by me first duly sworn state on oath, that she is PUBLISHER of the YAZOO HERALD, a newspaper published in the City of Yazoo City, State and County aforesaid, and that the publication of the notice, a copy of which is hereto attached, has been made in said paper <u>f</u> times as follows.

Vol. No. 150 Number 47 Dated 04/27, 20 22	Vol. No Number Dated		=:	
Vol. No Number Dated, 20	Vol. No Number Dated	= =	_	
Vol. No Number Dated, 20	Vol. No Number Dated		_	
Vol. No Number Dated, 20	Vol. No Number Dated		_	
Affiant further states that said next prior to the first publication (Signed) Jamie Patterson Publisher			ished for at leas	t twelve months
Sworn to and subscribed before	re me, this 15t	_day of _	Mzy	, 20 22
(Signed) Sheila D. Triimm-Yo Notary Public	ung	OF M	ISS PURIO	
Legal Number 96 Inches Words 6×16 mn Time 4 Amount of legal \$ 960 - Proof of Publication \$ 3 - Total Amount \$ 963		SHEILA D. TR Commission July 21		
Total Amount & 700				

2021 Annual Drinking Water Quality Report Central Yazoo Water Association, Inc.

opplettis gent's Annual Quality Water Report. This report to designed to integer you also at the quality evider and every day. Our constant goet is to provide you with a safe and depreciate supply of designacy water. We want you to make it or continuity improve the valuate traderest process and profess our water improves. We are committed to water. Our replace source is some with departy from the Squita Sand and the Manitan Open William Aspires.

I you have any apertions subcet this report of conceauing your valent diffy, please contact Man, Laborate at 600,746,7531. We want our valved subcloses to be informed about their water diffity. If you want to bean order, please attend to regular investings scheduled for the second (analysis results) and the first investing a scheduled for the second (analysis results) and the second of Vivillempoors Rood, Yazoo Chy, Alfo 30164.

The norse water assessment that begin completed for our pubs. Write system to determine the overall suicegetably of its desident pubsits being b

We making modific for configurationally a visit according to finderal and State leve. This table between this of the princip water configuration from the state of the princip water according to partial of behavior of the princip water specially as also indust as we according to partial of behavior of the princip water specially as also make it will be such contract to the princip of any observed as a second special partial of the partial of band or independent of the princip of special of section operations and substitute of the partial of band or partial of band or partial of band or independent of the princip of special from their destination and configuration of the princip of special from their destination of the partial of the

chop Level - the concentration of a contami

Maximum desided Distributord Lovel Goal (MRDLG) — The lovel of a cretery visiter desided and holes which that health. MRDLG a do part reflect the boundts of the use of distributors to control microbial contaminants.

am per tillan (go) ar Minograms per ber som pent og billan skrings av krom minde in 2000 years, er a sinje (en in 810 00000)

10 Berian | n | 2020 TEST RESULTS No Range MC1G MC1 Oscinarije of driffing wastans, decide go from melal refinencies, ancient driffing and desports.

Discharge from steel and pully milit, crop on of natural deposits.

Consultant from his plantifiering gydwans, program of instrum. Likely Service of Contamination

13 Chromann

	ppi)	ppl out
	oby.	
	PPI	pp*
82000 - 10000		
	QD)	Oph O
	ppm	ppm 4
	ppen	AL = 1.3 Company on nucerous primerary specially section of natural deposits, secting from wood protestyment

PWS#:0820031	0031			TEST RESULTS	SIT				
Collannium	Woudon	Date Date/red	Level Delacted	Range of Delacts or # of Samples Excepting MCUACL	Mass.	Wiche		NO.	Litarly Scance of Conformination
Inorganic Contaminants	Contam	Shuari							
10 Barnets	×	20197	010	No Range	Sin		2	14	Descharge of drilling vectors use change from motors efinances eroston of natural desperants
13 Околин	z	20102	4	No Range	PEA		8	100	-
M Chipper	2	2018/20	tə	ò	ppm		15	Div. fr.	-
16. Fluorida	×	2019	12	No Range	ppm				additive which promotes strong thanks discount from feet and and the transfer from feet and transfer f
pte 1786	×	2011/020	1	O	pph		9	AL=15	5 Corrotion of household planning systems, erosion of rahmal deposits
Sodium	z	20107	250000	No Range	15.		9	0	
Disinfection By-Products	ın By-Pı	oducts						D	
ST HWAS	2	.2017"	91.	No Raingo	983	13		8	Of By-Product of datalog water distribution
from Linear	2	2017"	1177	N) States 1	2	.0		3	By product of distaling water obtaination
Chorne	z	2023	5	1-2	1000	0	MDRS = 4	-	Microsoph Indiana med to confice

* Most round numble. No romple required for 2021

Charine N 2021 13	82 TTRM N 2019* 16.8 Block Military	81.HAAS N 2017" 14
1-18	No Runge	No Range
ngri	36	25
O MALAN	0	0
1	8	8
Market and Assessment	Dyjesthat of its range within	distributed of distribute water

· Most record angle. New New York

820	29 Violation	Dila	Lavel	Range of Delacts Un	LIS	5.DK	MCI. Likely Source of Contemination	
Contaminat	Victosia	Dala	Lavel Datecteri	Range of Delacts or If of Sampire Threading	Megasuro	and the	3	
Inorganic Contaminants	matam	nants		1000				
10 Barkett	z	2019	500	No Range	ppm	60		 Déathaige of Oldrag vanion, displacife from public reficier en appoiers of miguel deposité.
St. Chromium	Z	2019	8	No Range	ppo	100		NOT Discharge from steel and pulp
14 Copper	z	201820*	ю	8	ppm	1.3	2	AL=1.8 Conveying of household planting systems, organized of makeral deposits, leaching from whose property-leas.
15. Pluonde	Z	2018	220	No Range	ppm			Ecopia of militari degreeths, water addition which promotes allow noth; discharge from ferfilled and stundents lackbeet.
17, Lead	Z	2010/20°	2	٥	Ne	٥		AL=15 Comment of immediate planting systems, erophysics makes deposits
Spélan	z	2015	75000	No Ruage	bob	0	1 - 13	Road Saft, Water Trinslands Chamberly, Water Scherren Severage Effaction
Disinfection By-Products	By-Pi	oducts						t
SVVII. 19	Z	3016.	Oi	No. Francisco	o No	a		8
NO TEMA	Z	2011	77	No Parce	989	0		8
Orleans	z	2002	F3	10	nga	0	-	MDRL = Water substitute used to control 4 staggiotes
Many recommended the sense respected for 1011	Control of the	de regard h	1001 38					
PWS#:0820030	030			TEST RESULTS	TIS			
Coctaminant	NU. Usalenos	foliate Colocted	Different	Range of Deserts or and Surgare measures matrials	Tripopure Unit	10.6		50
Inorganic Contaminants	ontan	ninants						
Market On	2	202	2013	Mr. Gange	pan	12		

The Central Yazoo Wales Amochation, Inc.	Owner people may be those selectable to co- pensor; pith cannot undergoing discontine speare decodes, some stems, and make large than beath one provious \$14,000.0 people decodes are provious \$14,000.0	All academy of dis- case by investigation expected to conti- potent it health of Agency's Safe Dis-	Central Yazoo Webs Association space Sociall will you order influent suppose stationary in serious the proper stationard of till chapter. Here sociality feel	If person, devote high quely from high quely distri- sement thous, you contact, and authorized and highlesser space.	We am regulated to modular your trinking water for specific contormands can according whether can be contormand, and can be installed to whether can be considered the rife should provide the partial should provide the partial to an observe updates contored the modulating free cannot provide the one of the compliance period.	We've proof that your distring water meets or exceeds all Federal and State requirements. We some learned through or that some constitutions cover term detected byweise the EPA has determined that your wider its SAFE at these levels	*Africa meeta sampla. No sample required for 2021 Lauderfeen the Products Lauderfeen the Products (1) Ithius to Arisk (IIAA) was pumply who what was a continuing launease is corrected the for 10 Ithius to Arisk (IIAA). Was pumply who what have was common particular as safe part in the arisk common training the form that the particular as safe part in the form that the particular as safe	Disinfection By-Products	Shoons	17. Lead	14 Degree	III. Chonkey	O Carers	Inorganic (
O VYALOI /	y he man	A construction of the cons	Marie Aces	ditional di milesto di organica Con miles di commi di com	drain;	pur drints	la No Lore	N By-P	-	1	z	z	Z	ontan		
CHOCLERICH, L	velocitide i getto disco getto and sid getto accident a reasonal	or transcript of	b Water Association (PVIS tall will you desize regard part schedules. If you have open clearly ment of health Happe recentary treatments	had on our man part of the captor of the cap	present most	Appendance	ple required in [Maj & major of]	roducts	2019*	2018/20"	2016/20*	20102	20104	Contaminants	-	
The foliated and	derrapy, po particular to DC godin to than the	A Topogram	(PWS to assessed as regarding this charge have chester (state heat) as they grow the charge grow	the sections of the section of the s	water for ap trauetts sta to period	ts or exceed	for 2021 to et par water option to disappe		73000	- 4	, ka	10.	2142			
us product our visible sources, which are the legal of our community, we way to an area on the control ourse.	Course people many har move entermated to conserve use in causing quarter face, they served a systems from propose, the canale undersorted demander proposed on the consequence of the consequence of the proposed of the canale undersorted proposed on the proposed of the canale canale can also proposed of the canale can also proposed of the canale canale canale can also proposed of the canale	Condensation of the conden	O 0320064 (322028, 013003) and this charge with you wish closing (stating at 6 mixels as they your the saw as a	contribution, en ad with service to acity of materials composed by fluid do, you may with ruby supportunity	ecili: cditlomican ndanda. We did o ndems conglete s	s all Federal and S	Wit personnels we have a defendance to the and a second factories	6-2	Mo Rarge	0	0	No Parge	No Range		Exceeding MCL/ACL	
ar ton on freat	or than the or and space or transmit in 1.50 in holder to p.	direct All to present at pastiti effect	oso, eszeek ader uspek pa of agol t a talk to you	pecially for pross and home used in plant top your top for to have your is prosolite if south find	ds cas as month consorter the re	state requirers emused that y	of golden order of golden or other order of the control of the con	ě	pph	ppb	ppm	900	ppm		morit	
and the street of	pan transpla an transpla a. They are the the transplant of the tra	d and makes passing makes position and a position a po	They may ow decided a Service 40	plumberg O bay south	dy basin, illo tondoring to requirements	orth We lan	out end of the P	0 10000 0		.0	13	18	N			-
The state of	Man India	on and	pers from	toniery	HATSON SHORTHAND STO SAFE	SAFE &	ACL OVER LINE			AL-16	Aveta	100	16			
	thems people may be more estimately to commission in standary under them the operand specifies fundame compressed program stable in process five standard understand, the other standard process five standard understand the standard process of the many control of the standard process of the stan	All access of should by salts are not wit to profession conductabilities of that we reducedly countries of man mark. These infollations are for extended, congruence or upon a profession and implicative exclusions. All states and including exclusions are used to contain a least on an execution of the containments. The provision of a containment of containments are confirmed to a containment of the provision of a containment of containments. The confirmed to a containment of the containments are confirmed to a containment of the containment	Centra Yamo Wated Association (Print to oppose), Gategory, October, Gategory), conforming and Society to the Griffing with years. Describ with your central requirement that compared you water could. They may become adoptions asystemation and compared for the print program of adoptions asystemation and compared and compared to the contract that print program is the contract and compared to the contract and compared to the contract and compared to the contract and contr	Il person, devaled blook of boto can cause and out treeth prickens, expectably for program community young coders, local dischaing water in primarily from mobilistic and components associated with service loss and have a lightwisting. One water applies to import the for product his proceeds for product his proceeds for product his product of the product his produc	We are regarded to modular your datable of water for specific continued and a contrader former. Persists of regions of exceptioning are an indicator of whother contrader of orders asset models as the contrader of the contraders	We've proud that your direting welled meets or exceeds all Federal and State requirements. We some learned through our manistring and losting that some contamifactor covertients defected by evenes the EFA has determined that your water to SAFE at these levels.	of ment sample. No sample required for 2021 Society Products One of the Mark Society and the same property with clear water executing because a covers of the Mark Society many pairs on account field of causes (Market Archae (MAA) society property with clear water executing because a covers of the Max over cause part and support and produced problems of the Market Society (MAA). Society of the Market Society of t	(Material State Freed to commit	Shad Soft Ware Trodework of Character, Ware Software and lewage Effants:	Committee of household plus have systems, excelor of natural deposits	Consider of frequencial plants synthesis; around of rathers depends, insiding from wood preservatives.	Discharge from sheel and pulp rails; appears of netteral descents	Olischige of drilling wootes: discharge from pastal reforeles, erroren of natural deposits			